

L Number	Hits	Search Text	DB	Time stamp
-	13635	(e?mail or email or electronic\$3 near1 mail).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 15:51
-	296	((e?mail or email or electronic\$3 near1 mail).ab.) or ((e?mail or email or electronic\$3 near1 mail).ti.)) and (determin\$6 or identif\$6 or filter\$6 or recogniz\$6) near5 (e?mail or email or electronic\$3 near1 mail or messag\$5 or text\$5) near6 (bulk or spam or advertis\$6 or unsolocit\$6 or unwanted or identical or similar\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 16:06
-	143	((((e?mail or email or electronic\$3 near1 mail).ab.) or ((e?mail or email or electronic\$3 near1 mail).ti.)) and (determin\$6 or identif\$6 or filter\$6 or recogniz\$6) near5 (e?mail or email or electronic\$3 near1 mail or messag\$5 or text\$5) near6 (bulk or spam or advertis\$6 or unsolocit\$6 or unwanted or identical or similar\$5)) and (determin\$6 or identif\$6 or filter\$6 or recogniz\$6 or locat\$3) near5 (e?mail or email or electronic\$3 near1 mail or messag\$5 or text\$5) near5 (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or open adj1 relay or relay or header or routing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 20:46
-	89	((((e?mail or email or electronic\$3 near1 mail).ab.) or ((e?mail or email or electronic\$3 near1 mail).ti.)) and (determin\$6 or identif\$6 or filter\$6 or recogniz\$6) near5 (e?mail or email or electronic\$3 near1 mail or messag\$5 or text\$5) near6 (bulk or spam or advertis\$6 or unsolocit\$6 or unwanted or identical or similar\$5)) and (determin\$6 or identif\$6 or filter\$6 or recogniz\$6 or locat\$3) near5 (e?mail or email or electronic\$3 near1 mail or messag\$5 or text\$5) near5 (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or open adj1 relay or relay or header or routing)) and (notif\$6 or block\$3 or report\$5 or alert\$6 or awar\$5 or know\$3 or warn\$5) near5 (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or open adj1 relay or relay or header or routing or mailer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 16:07
-	342	((e?mail or email or electronic\$3 near1 mail).ab.) or ((e?mail or email or electronic\$3 near1 mail).ti.)) and (determin\$6 or identif\$6 or filter\$6 or recogniz\$6) near5 (e?mail or email or electronic\$3 near1 mail or messag\$5 or text\$5) near6 (junk or bulk or spam or advertis\$6 or unsolocit\$6 or unwanted or identical or similar\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 16:36

-	98	(((((e?mail or email or electronic\$3 near1 mail).ab.) or ((e?mail or email or electronic\$3 near1 mail).ti.)) and (determin\$6 or identif\$6 or filter\$6 or recogniz\$6) near5 (e?mail or email or electronic\$3 near1 mail or messag\$5 or text\$5) near6 (junk or bulk or spam or advertis\$6 or unsolocit\$6 or unwanted or identical or similar\$5)) and (determin\$6 or identif\$6 or filter\$6 or recogniz\$6 or locat\$3) near5 (e?mail or email or electronic\$3 near1 mail or messag\$5 or text\$5) near5 (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or open adj1 relay or relay\$3 or header)) and (notif\$6 or block\$3 or report\$5 or alert\$6 or awar\$5 or know\$3 or warn\$5) near5 (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or open adj1 relay or relay\$4 or header or routing or mailer or ((forward\$3 or provider or routing) near1 (address or domain or host)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 16:10
-	13	((((((e?mail or email or electronic\$3 near1 mail).ab.) or ((e?mail or email or electronic\$3 near1 mail).ti.)) and (determin\$6 or identif\$6 or filter\$6 or recogniz\$6) near5 (e?mail or email or electronic\$3 near1 mail or messag\$5 or text\$5) near6 (junk or bulk or spam or advertis\$6 or unsolocit\$6 or unwanted or identical or similar\$5)) and (determin\$6 or identif\$6 or filter\$6 or recogniz\$6 or locat\$3) near5 (e?mail or email or electronic\$3 near1 mail or messag\$5 or text\$5) near5 (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or open adj1 relay or relay\$3 or header)) and (notif\$6 or block\$3 or report\$5 or alert\$6 or awar\$5 or know\$3 or warn\$5) near5 (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or open adj1 relay or relay\$4 or header or routing or mailer or ((forward\$3 or provider or routing) near1 (address or domain or host)))) and @ad<20001204) and (((e?mail or email or electronic\$3 near1 mail).ab.) or ((e?mail or email or email or electronic\$3 near1 mail).ti.)) and 709/206,207.cccls.) and (determin\$6 or identif\$6 or filter\$6 or recogniz\$6 or detect\$5 or locat\$6 or extract\$5) near5 (portion or signature or fingerprint or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 20:41
-	89	open adj1 relay with (notif\$6 or block\$3 or report\$5 or alert\$6 or awar\$5 or know\$3 or warn\$5) near5 (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or open adj1 relay or relay\$4 or header or routing or mailer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 20:47

-	69	(open adj1 relay with (notif\$6 or block\$3 or report\$5 or alert\$6 or awar\$5 or know\$3 or warn\$5) near5 (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or open adj1 relay or relay or header or routing or mailer)) and (notif\$6 or block\$3 or report\$5 or alert\$6 or awar\$5 or know\$3) near5 (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or open adj1 relay or relay or header or routing or mailer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 20:43
-	6	((send\$5 or transmi\$6 or receiv\$5 or return\$5) near5 (time or period or difference or interval or input\$3 near2 output\$4) near5 (input\$3 near2 output\$4 or obtaining or measuring or calculating or timing) near5 (agent or program or software or module or applet or servelet or plug?in or plugin or traveling adj1 program or mobile adj1 agent)) with (quiz or test or answer\$5 or respon\$5 or exam\$5) and (send\$5 or transmi\$6 or return\$5 or back) near5 (agent or program or software or module or applet or servelet or plug?in or plugin or traveling adj1 program or mobile adj1 agent) near5 (server or remot\$5 or network\$5 or node)) and (notif\$6 or report\$5 or alert\$6 or awar\$5 or know\$3 or warn\$5) near5 (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or open adj1 relay or relay\$4 or header or routing or mailer or host or origin\$5 or sender)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 20:30
-	3	((open adj1 relay with (notif\$6 or block\$3 or report\$5 or alert\$6 or awar\$5 or know\$3 or warn\$5) near5 (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or open adj1 relay or relay or header or routing or mailer)) and (notif\$6 or block\$3 or report\$5 or alert\$6 or awar\$5 or know\$3) near5 (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or open adj1 relay or relay or header or routing or mailer)) and (determin\$6 or identif\$6 or filter\$6 or recogniz\$6 or locat\$3) near5 (e?mail or email or electronic\$3 near1 mail or messag\$5 or text\$5) near6 (junk or bulk or spam or advertis\$6 or unsolocit\$6 or unwanted or identical or similar\$5) and (notif\$6 or report\$5 or alert\$6 or awar\$5 or know\$3 or warn\$5) near5 (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or open adj1 relay or relay\$4 or header or routing or mailer or host or origin\$5 or sender)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 20:31

-	2	((((open adj1 relay with (notif\$6 or block\$3 or report\$5 or alert\$6 or awar\$5 or know\$3 or warn\$5) near5 (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or open adj1 relay or relay\$4 or header or routing or mailer)) and (notif\$6 or block\$3 or report\$5 or alert\$6 or awar\$5 or know\$3) near5 (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or open adj1 relay or relay\$4 or header or routing or mailer)) and (determin\$6 or identif\$6 or filter\$6 or recogniz\$6 or locat\$3) near5 (e?mail or email or electronic\$3 near1 mail or messag\$5 or text\$5) near6 (junk or bulk or spam or advertis\$6 or unsolocit\$6 or unwanted or identical or similar\$5) and (notif\$6 or report\$5 or alert\$6 or know\$3 or warn\$5) near5 (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or open adj1 relay or relay\$4 or header or routing or mailer or host or origin\$5 or sender) and (determin\$6 or identif\$6 or filter\$6 or recogniz\$6 or detect\$5 or locat\$6 or extract\$5) near5 (portion or signature or fingerprint or code or url or html)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 20:42
-	566	((determin\$6 or identif\$6 or filter\$6 or recogniz\$6 or locat\$3) near5 (e?mail or email or electronic\$3 near1 mail or messag\$5 or text\$5) near6 (junk or bulk or spam or advertis\$6 or unsolocit\$6 or unwanted or identical or similar\$5) and (notif\$6 or report\$5 or alert\$6 or awar\$5) with (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or mailer or sender or origin\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 20:50
-	626	((determin\$6 or identif\$6 or filter\$6 or recogniz\$6 or locat\$3) near5 (e?mail or email or electronic\$3 near1 mail or messag\$5 or text\$5) near6 (junk or bulk or spam or advertis\$6 or unsolocit\$6 or unwanted or identical or similar\$5) and (notif\$6 or report\$5 or alert\$6 or awar\$5) with (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or mailer or sender or origin\$5 or source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 20:51
-	800	((determin\$6 or identif\$6 or filter\$6 or recogniz\$6 or locat\$3) near5 (e?mail or email or electronic\$3 near1 mail or messag\$5 or text\$5) near6 (junk or bulk or spam or advertis\$6 or unsolocit\$6 or unwanted or identical or similar\$5) and (notif\$6 or report\$5 or alert\$6 or awar\$5 or complain\$5 or return) with (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or mailer or origin\$5 or source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 20:52

-	5	open adj1 relay and (((determin\$6 or identif\$6 or filter\$6 or recogniz\$6 or locat\$3) near5 (e?mail or email or electronic\$3 near1 mail or messag\$5 or text\$5) near6 (junk or bulk or spam or advertis\$6 or unsolocit\$6 or unwanted or identical or similar\$5)) and (notif\$6 or report\$5 or alert\$6 or awar\$5 or complain\$5 or return) with (facilitat\$3 or provider or ISP or servic\$3 or domain or web adj1 site or url or mailer or origin\$5 or source))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 20:52
---	---	---	---	---------------------